	Mikro Teknik		Lab. Malz. ve Cih.	Revision nr. 3
MİKRO TEKNİK Chemical solutions.		San. Tic. Ltd.	. Şti.	
				Dated 17/12/2024
	MKR-0132	- Methvl Ethv	I Ketone (MEK)	Printed on 17/12/2024
		·····	(Page n. 1/14
				Replaced revision:2 (Printed on: 17/12/2024)
	Sa	fety Data	Sheet	
Accord			20/878 and to Annex II to UK R	EACH
SECTION 1. Identification	n of the substand	e/mixture and	of the company/under	rtaking
1.1. Product identifier				
Code: Product name		-0132 yl Ethyl Ketone (MEK	0	
	Meth		· /	
1.2. Relevant identified uses of the	a substance or mixture	and uses advised an	nainst	
	available	מות נושבש מעיושבע מצ	janist	
1.3. Details of the supplier of the s Name		Toknik Kimyovi Mor	t Lab Mala va Cib San Tia	1 + 4 - 6 + 1
Full address	ULUE	DAĞ ORGANİZE SAN	d. Lab. Malz. ve Cih. San. Tic. AYİ BÖLGESİ KALE MAH.KIL	IÇLAR CAD. NO:10 KESTEL
District and Country	TR	0 BURSA		
		-90 224 372 50 23		
	Fax +	-90 224 372 50 29		
1.4. Emergency telephone number For urgent inquiries refer to		24 372 50 23		
SECTION 2. Hazards ider	ntification			
2.1. Classification of the substance	or mixture			
The product is classified as hazardou				
supplements). The product thus requir Any additional information concerning				
Hazard classification and indication:				
Flammable liquid, category 2 Eye irritation, category 2		H225 H319	Highly flammable liquid and Causes serious eye irritatio	
Specific target organ toxicity - single	exposure, category 3	H336	May cause drowsiness or c	
2.2. Label elements				
Hazard labelling pursuant to EC Regul	lation 1272/2008 (CLP) a	and subsequent amend	dments and supplements.	
Hazard pictograms:				

Safety Data Sheet		132 - Methyl Ethyl Ketone (o REACH - Regulation (EU) 2020/878 and to Anr	Page n. 2/14 Replaced revision:2 (Printed on: 17/12/2024)
Safety Data Sheet	According to Annex II to	D REACH - Regulation (EU) 2020/878 and to Anr	ex II to UK REACH
	Î)		
Signal words:	Danger		
lazard statements:			
1225 1319 1336 :UH066	Highly flammable liquid and Causes serious eye irritation May cause drowsiness or diz Repeated exposure may cau	zziness.	
Precautionary atements: 2210 2280 3370+P378 2261 2233 2312	Wear protective gloves/ prot In case of fire: use to ext	/ gas / mist / vapours / spray. I.	
Contains:	METHYL ETHYL KETONE		
. Other hazards			
the basis of available da an 0,1%.	ata, the product does not conta	in any PBT or vPvB in percentage	
e product does not conta 1%.	in substances with endocrine	disrupting properties in concentration	
SECTION 3. Com	position/information	on ingredients	
.2. Mixtures			
ntains:			
dentification	x = Conc. %	Classification (EC) 1272/2008 (CLP)	
METHYL ETHYL KETON NDEX 606-002-00-3 CC 201-159-0 CAS 78-93-3	50 x < 100	Flam. Liq. 2 H225, Eye Irrit. 2 H319, S ⁻	TOT SE 3 H336, EUH066
ə full wording of hazard (H) phrases is given in section	16 of the sheet.	
SECTION 4. First	aid measures		

	MİKRO TEKNİK Chemical solutions	Mikro Teknik Kimyevi Mad. Lab. Malz. ve Cih. San. Tic. Ltd. Şti.	Revision nr. 3
			Dated 17/12/2024
		MKR-0132 - Methyl Ethyl Ketone (MEK)	Printed on 17/12/2024
			Page n. 3/14
			Replaced revision:2 (Printed on: 17/12/2024)
Safety D)ata Sheet A	ccording to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH	

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.



Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

Replaced revision:2 (Printed on: 17/12/2024)

Send away individuals who are not suitably equipped. Use explosion-proof equipment. Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

TUR	Türkiye	, Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik 12.08.2013 / 28733
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983;
		Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive
		2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

MİKRO TEKNİK Chemical solutions	Mikro Teknik Kimyevi Mad. Lab. Malz. ve Cih. San. Tic. Ltd. Şti.	Revision nr. 3
		Dated 17/12/2024
	MKR-0132 - Methyl Ethyl Ketone (MEK)	Printed on 17/12/2024
		Page n. 5/14
		Replaced revision:2 (Printed on: 17/12/2024)

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

METHYL ETHYL KETONE

Threshold Limit Val	lue						
Туре	Country	TWA/8h		STEL/15min	I	Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
ESD	TUR	600	200	900	300		
WEL	GBR	600	200	899	300	SKIN	
OEL	EU	600	200	900	300		
TLV-ACGIH		590	200	885	300		

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Consider the appropriateness of providing antistatic clothing in the case of working environments in which there is a risk of explosion.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a type AX filter, whose limit of use will be defined by the manufacturer (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

	MİKRO TEKNİK Chemical solutions	Mikro Teknik Kimyevi Mad. Lab. Malz. ve Cih. San. Tic. Ltd. Şti.	Revision nr. 3
			Dated 17/12/2024
		MKR-0132 - Methyl Ethyl Ketone (MEK)	Printed on 17/12/2024
			Page n. 6/14
			Replaced revision:2 (Printed on: 17/12/2024)
Safety D	Data Sheet	ccording to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH	

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance	Value not available	Information
Colour	not available	
Odour	not available	
Melting point / freezing point	not available	
Initial boiling point	not available	
Boiling range	78-80 °C	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	-6,7 °C	
Auto-ignition temperature	474 °C	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available


9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.



METHYL ETHYL KETONE

Reacts with: light metals, strong oxidants. Attacks various types of plastic materials. Decomposes under the effect of heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

METHYL ETHYL KETONE

May form peroxides with: air,light,strong oxidising agents.Risk of explosion on contact with: hydrogen peroxide,nitric acid,sulphuric acid.May react dangerously with: oxidising agents,trichloromethane,alkalis.Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

METHYL ETHYL KETONE

Avoid exposure to: sources of heat.

10.5. Incompatible materials

METHYL ETHYL KETONE

Incompatible with: strong oxidants, inorganic acids, ammonia, copper, chloroform.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

	Mikro Teknik Kimyevi Ma	d. Lab. Malz. ve Cih.	Revision nr. 3
MİKRO TEKNİK	San. Tic. Lt		
Chemical solutions		u. yn.	
			Dated 17/12/2024
	MKR-0132 - Methyl Eth	w Ketone (MEK)	Printed on 17/12/2024
			Page n. 8/14
			Replaced revision:2 (Printed on: 17/12/2024)
	ccording to Annex II to REACH - Regulation (EU)	2020/979 and to Annay II to LIK DEACH	
Safety Data Sheet A			1
Information not available			
Information on likely routes of exposur	2		
Information not available			
Delayed and immediate effects as wel	as chronic effects from short and long-term	a exposure	
	-		
Information not available			
Interactive effects			
Information not available			
ACUTE TOXICITY			
ATE (Inhalation) of the mixture:		significant component)	
ATE (Oral) of the mixture: ATE (Dermal) of the mixture:		o significant component) o significant component)	
ATE (Definal) of the mixture.		significant component)	
METHYL ETHYL KETONE			
LD50 (Dermal):	6480 mg/kg Rab	bit	
LD50 (Oral):	2737 mg/kg Rat		
LC50 (Inhalation vapours):	23,5 mg/l/8h Rat		
SKIN CORROSION / IRRITATION			
SKIN CORROSION/ IRRITATION			
Repeated exposure may cause skin d	vness or cracking		
	shood of orability.		
SERIOUS EYE DAMAGE / IRRITATIO	Ν		
	_		
Causes serious eye irritation			
RESPIRATORY OR SKIN SENSITISA	TION		
	<u></u>		

	Mikro Teknik Kimyevi Mad. Lab. Malz. ve Cih. San. Tic. Ltd. Şti.	Revision nr. 3
Chemical solutions		
		Dated 17/12/2024
	MKR-0132 - Methyl Ethyl Ketone (MEK)	Printed on 17/12/2024
		Page n. 9/14 Replaced revision:2 (Printed on: 17/12/2024)
Safety Data Sheet Ac	ccording to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH	
Doop not most the closefication criteric	for this hazard alass	
Does not meet the classification criteria	a for this hazard class	
GERM CELL MUTAGENICITY		
Does not meet the classification criteria	a for this hazard class	
Does not meet the classification criteria	a for this bazard class	
REPRODUCTIVE TOXICITY		
Does not meet the classification criteria	a for this hazard class	
<u>STOT - SINGLE EXPOSURE</u>		
May cause drowsiness or dizziness		
STOT - REPEATED EXPOSURE		
Does not meet the classification criteria	a for this hazard class	
ASPIRATION HAZARD		
Does not meet the classification criteria	a for this hazard class	
11.2. Information on other hazards		
Popped on the sucilable data the succtu	at doop not contain substances listed in the main Furshers - lists of a startist an	auanastad andoariaa diamustare with
Based on the available data, the produ human health effects under evaluation.	ct does not contain substances listed in the main European lists of potential or	suspecied endocrine disruptors with
SECTION 12. Ecological i	information	

	Mikro Teknik Kimyevi Mad. Lab. Malz. ve Cih.	Revision nr. 3
MİKRO TEKNİK Chemical solutions	San. Tic. Ltd. Şti.	
		Dated 17/12/2024
	MKR-0132 - Methyl Ethyl Ketone (MEK)	Printed on 17/12/2024
		Page n. 10/14
		Replaced revision:2 (Printed on: 17/12/2024)
Safety Data Sheet	According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH	1
Use this product according to good contaminate soil or vegetation.	I working practices. Avoid littering. Inform the competent authorities, shou	ld the product reach waterways or
12.1. Toxicity		
nformation not available		
12.2. Persistence and degradability		
METHYL ETHYL KETONE		
Solubility in water	> 10000 mg/l	
Rapidly degradable 12.3. Bioaccumulative potential		
METHYL ETHYL KETONE		
Partition coefficient: n-octanol/water	0,3	
12.4. Mobility in soil		
nformation not available		
12.5. Results of PBT and vPvB asso	essment	
On the basis of available data, the pro than 0,1%.	duct does not contain any PBT or vPvB in percentage	
12.6. Endocrine disrupting properti	es	
Based on the available data, the prod environmental effects under evaluatio	uct does not contain substances listed in the main European lists of potential on n.	r suspected endocrine disruptors with
12.7. Other adverse effects		

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Chemical solutions. MKR-0132 -	THYL KETONE)
Safety Data Sheet According to Annex II to REACH SECTION 14. Transport information I4.1. UN number or ID number ADR / RID, IMDG, IATA: 1193 I4.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: IATA: ETHYL METHYL KETONE (METHYL ET IMDG: IATA: ETHYL METHYL KETONE (METHYL ET IMDG: IATA: ETHYL METHYL KETONE (METHYL ET IMDG: IATA: ETHYL METHYL KETONE (METHYL ET IMDG: IATA: ETHYL METHYL KETONE (METHYL ET IMDG: IATA: ETHYL METHYL KETONE (METHYL ET IMDG: IADR / RID: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE) THYL KETONE) THYL KETONE)
Safety Data Sheet According to Annex II to REACH SECTION 14. Transport information 4.1. UN number or ID number ADR / RID, IMDG, IATA: 1193 4.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ETI IMDG: ETHYL METHYL KETONE (METHYL ETI AAR. ETHYL METHYL KETONE (METHYL ETI IMDG: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE) THYL KETONE) THYL KETONE)
Safety Data Sheet According to Annex II to REACH SECTION 14. Transport information Id. UN number or ID number ADR / RID, IMDG, IATA: 1193 Id.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET IMDG: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE) THYL KETONE) THYL KETONE)
SECTION 14. Transport information 4.1. UN number or ID number ADR / RID, IMDG, IATA: 1193 4.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET 4.3. Transport hazard class(es) ADR / RID: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE) THYL KETONE) THYL KETONE)
SECTION 14. Transport information 4.1. UN number or ID number ADR / RID, IMDG, IATA: 1193 4.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET IMDG: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE) THYL KETONE)
SECTION 14. Transport information 4.1. UN number or ID number ADR / RID, IMDG, IATA: 1193 4.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET IMDG: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE) THYL KETONE)
4.1. UN number or ID number ADR / RID, IMDG, IATA: 1193 4.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET ADR / RID: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET IMDG: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE)
4.1. UN number or ID number ADR / RID, IMDG, IATA: 1193 4.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET ADR / RID: ETHYL METHYL KETONE (METHYL ET ADR / RID: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE)
ADR / RID, IMDG, IATA: 1193 4.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET A.3. Transport hazard class(es) ADR / RID: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE)
4.2. UN proper shipping name ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET AAR / RID: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE)
ADR / RID: ETHYL METHYL KETONE (METHYL ET IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET 4.3. Transport hazard class(es) ADR / RID: Class: 3 Label: 3 IMDG: Class: 3	THYL KETONE) THYL KETONE)
IMDG: ETHYL METHYL KETONE (METHYL ET IATA: ETHYL METHYL KETONE (METHYL ET 4.3. Transport hazard class(es) ADR / RID: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE) THYL KETONE)
IATA: ETHYL METHYL KETONE (METHYL ET 4.3. Transport hazard class(es) ADR / RID: Class: 3 Label: 3 IMDG: Class: 3 Label: 3	THYL KETONE)
AJR / RID:Class: 3Label: 3IMDG:Class: 3Label: 3	
ADR / RID:Class: 3Label: 3IMDG:Class: 3Label: 3	
IMDG: Class: 3 Label: 3	
IATA: Class: 3 Label: 3	
14.4. Packing group	•
ADR / RID, IMDG, IATA: II	
4.5. Environmental hazards	
ADR / RID: NO	
IMDG: NO	
IATA: NO	
4.6. Special precautions for user	
ADR / RID: HIN - Kemler: 33	Limited Tunnel Quantities: 1 restriction
	L code: (D/E)
Special provision: -	I included
IMDG: EMS: F-E, S-D	Limited Quantities: 1
	L
IATA: Cargo:	Maximum Packaging quantity: 60 L instructions:
-	364
Passengers:	Maximum Packaging quantity: 5 L instructions:
	353

	Mikro Teknik Kimyevi Mad. Lab. Malz. ve Cih.	Revision nr. 3
MİKRO TEKNİK	San. Tic. Ltd. Şti.	
Chemical solutions		
		Dated 17/12/2024
	MKR-0132 - Methyl Ethyl Ketone (MEK)	Printed on 17/12/2024
		Page n. 12/14 Replaced revision:2 (Printed on: 17/12/2024)
Safety Data Sheet A	ccording to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH	
	Special provision: -	
14.7. Maritime transport in bulk acco	ording to IMO instruments	
Information not relevant		
SECTION 15. Regulatory	information	
15.1. Safety, health and environme	ental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/E	EU: P5c	
Restrictions relating to the product or c	contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
Product Point	3 - 40	
	0 40	
Contained substance		
Point	75	
Regulation (EU) 2019/1148 - on the m	arketing and use of explosives precursors	
not applicable		
Substances in Candidate List (Art. 59 I	REACH)	
On the basis of available data, the proo than 0,1%.	duct does not contain any SVHC in percentage	
Substances subject to authorisation (A	nnex XIV REACH)	
None		
Substances subject to exportation repo	orting pursuant to Regulation (EU) 649/2012:	
None		
Substances subject to the Rotterdam (Convention:	
None		
Substances subject to the Stockholm (Convention:	
None		
Healthcare controls		

MİKRO TEK Chemical solutions	Mikro Teknik Kimyevi Mad. Lab. Malz. ve Cih. San. Tic. Ltd. Şti.	Revision nr. 3
		Dated 17/12/2024
	MKR-0132 - Methyl Ethyl Ketone (MEK)	Printed on 17/12/2024
		Page n. 13/14
		Replaced revision:2 (Printed on: 17/12/2024)
Safety Data Sheet	According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REAC	н Н
	nical agent must not undergo health checks, provided that available risk-assessment modest and that the 98/24/EC directive is respected.	data prove that the risks related to the
15.2. Chemical safety asse	ssment	
A chemical safety assessment	has not been performed for the preparation/for the substances indicated in section 3.	
SECTION 16. Other	information	
Text of hazard (H) indications	mentioned in section 2-3 of the sheet:	
Flam. Liq. 2 F	lammable liquid, category 2	
Eye Irrit. 2 E	ye irritation, category 2	
STOT SE 3 S	specific target organ toxicity - single exposure, category 3	
	lighly flammable liquid and vapour.	
	Causes serious eye irritation.	
_	lavoo one of o material lav cause drowsiness or dizziness.	
	Repeated exposure may cause skin dryness or cracking.	
LEGEND:		
	concerning the carriage of Dangerous goods by Road	
 ATE: Acute Toxicity Estimate CAS: Chemical Abstract Service 		
- CE50: Effective concentration	n (required to induce a 50% effect)	
 CE: Identifier in ESIS (Europ CLP: Regulation (EC) 1272/2 	ean archive of existing substances)	
- DNEL: Derived No Effect Lev		
- EmS: Emergency Schedule	System of classification and labeling of chemicals	
	Transport Association Dangerous Goods Regulation	
- IC50: Immobilization Concen		
 IMDG: International Maritime IMO: International Maritime (6 6	
- INDEX: Identifier in Annex V	of CLP	
 LC50: Lethal Concentration 5 LD50: Lethal dose 50% 	50%	
- OEL: Occupational Exposure		
 PBT: Persistent bioaccumula PEC: Predicted environmenta 	tive and toxic as REACH Regulation	
- PEL: Predicted exposure lev		
 PNEC: Predicted no effect co REACH: Regulation (EC) 190 		
	he international transport of dangerous goods by train	
- TLV: Threshold Limit Value		
- TWA: Time-weighted averag	a that should not be exceeded during any time of occupational exposure. e exposure limit	
- TWA STEL: Short-term expo	sure limit	
 VOC: Volatile organic Compo - vPvB: Verv Persistent and versistent 	ounds ery Bioaccumulative as for REACH Regulation	
- WGK: Water hazard classes		

MİKRO TEKNİK San. Tic. Ltd. Şti.
Chemical solutions.
Dated 17/12/2024 MKD 0122 Mothyd Ethyd Kotopo (MEK) Printed on 17/12/2024
MKR-0132 - Methyl Ethyl Ketone (MEK) Printed on 17/12/2024 Page n. 14/14
Safety Data Sheet According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH
GENERAL BIBLIOGRAPHY 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation) 4. Regulation (EU) 2030/2018 (II Annex of REACH Regulation) 7. Regulation (EU) 2030/2011 (II Ap. CLP) of the European Parliament 5. Regulation (EU) 2030/2011 (II Ap. CLP) of the European Parliament 6. Regulation (EU) 487/2013 (IV Ap. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Ap. CLP) of the European Parliament 8. Regulation (EU) 497/2013 (IV Ap. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament 11. Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament 12. Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament 13. Regulation (EU) 2015/1221 (VII Ap. CLP) of the European Parliament 14. Regulation (EU) 2015/1221 (VII Ap. CLP) 15. Regulation (EU) 2015/1201 (VI Ap. CLP) 16. Delegated Regulation (UE) 2020/176 (X Ap. CLP) 17. Regulation (EU) 2015/121 (XI Ap. CLP) 18. Delegated Regulation (UE) 2020/17 (XI V Ap. CLP) 19. Delegated Regulation (UE) 2020/17 (XI V Ap. CLP) 20. Delegated Regulation (UE) 2020/17 (XI V Ap. CLP) 21. Delegated Regulation (UE) 2020/17 (XI V Ap. CLP) 22. Delegated Regulation (UE) 2020/17 (XI V Ap. CLP) 23. Delegated Regulation (UE) 2020/17 (XI V Ap. CLP) 24. Delegated Regulation (UE) 2020/17 (XI V Ap. CLP) 25. Delegated Regulation (UE) 2020/1643 (XVI Ap. CLP) 26. Delegated Regulation (UE) 2020/1784 (XVI Ap. CLP) 27. The Marck Index 10th Editon 18. Handling Chemical Safety 18. Note for users: 19. HARS - Fiche Toxicologique (toxicological sheet) 29. Poly - Industrial Hygiene and Toxicology 20. N.1. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition 19. FAGESTIS website 20. ECHA website 20. Delegated for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy Note for users: 17. The information according to each specific use of the product.
This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products. Begüm ALTUNKAYA CALCULATION METHODS FOR CLASSIFICATION Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evalua
chemical-physical properties are reported in section 9. Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section
Changes to previous review: The following sections were modified: 02 / 06 / 08 / 09 / 15.